



Do you need an address sign for your home?

You are responsible for ordering your sign through USA Traffic, by emailing Mike at traffic@stny.rr.com. *Size: 5"x16" with 4' numbers. High intensity reflective, no borders, white numbers on brown, series C font, standard radius corners, no holes, center copy, single-sided printing only.* Please keep in mind that depending on the location of your home, you may need to order two signs, one for each side (making it visible for emergency services from both ways).

The post can be ordered through the Foundation office, for \$75. Please fill out the form and drop off at the office with your check, or email.

* We also offer installation for an additional \$60.

If you're installing the post yourself, or making one, please see post specs on the last page.

FORM FOR ADDRESS SIGN POSTS

Name: _____

Address: _____

Phone #: _____

Email: _____

House Number: _____

Number of Signs Ordered: _____

Post only - \$75.00/post: _____

Post plus installation - \$135.00: _____

STAFF ONLY

Date: _____



Amount received _____

Check # _____


POST INSTALLED:

Date: _____

Initial: _____



- NOTES:**
1. TOP OF POST IS 3'-0" MAXIMUM ABOVE ADJACENT GRADE.
 2. TOP OF SIGN IS 2'-6" ABOVE ADJACENT GRADE.
 3. WOOD CONSTRUCTION MATERIAL SHALL BE ROUGH SAWN CEDAR.
 4. WOOD POST SHALL BE VERTICAL AND SIGN / MOUNTING BOARD SHALL BE HORIZONTAL.
 5. SIGN POST SHALL BE INSTALLED WITH SIGN NUMBERS VISIBLE TO APPROACHING TRAFFIC ON THE PUBLIC WAY. RESIDENT IS RESPONSIBLE FOR KEEPING THE SIGN VISIBLE (CLEARING SNOW FROM AROUND THE SIGN, NOT PARKING VEHICLES TO BLOCK IT, ETC.).
 6. A POLYMER MODIFIED ASPHALT WATERPROOFING IS RECOMMENDED TO BE APPLIED ON ALL WOOD THAT WILL BE BELOW GRADE.
 7. FOR ADDITIONAL REQUIREMENTS RELATING TO ADDRESS VISIBILITY, REFER TO "RESOLUTION NO. 2013-001 FIRE CODE AMENDMENT, GENESEE FIRE PROTECTION DISTRICT" AVAILABLE AT THE FOUNDATION OFFICE.



- LOCATION NOTES:**
1. THE LOCATION DIAGRAM APPLIES TO ALL LOCATIONS, REGARDLESS OF SIDE OF DRIVEWAY OR ROAD
 2. SIGN POST TO BE LOCATED WITHIN THE PLACEMENT ZONE ONLY.
 3. CLOSEST DISTANCE OF SIGN FROM PUBLIC WAY IS SIX (6) FEET FROM EDGE OF PAVEMENT. FARTHEST DISTANCE OF SIGN FROM PUBLIC WAY IS TWELVE (12) FEET FROM EDGE OF PAVEMENT.
 4. CLOSEST DISTANCE OF SIGN FROM DRIVEWAY IS FIVE (5) FEET FROM EDGE OF PAVEMENT. FARTHEST DISTANCE OF SIGN FROM DRIVEWAY IS TEN (10) FEET FROM EDGE OF PAVEMENT.
 5. THIS DIAGRAM IS FOR POST LOCATION ONLY. THE ORIENTATION OF THE SIGN BLADE (PORTION SHOWING THE ADDRESS) ON THE POST WILL BE SPECIFIC TO EACH SITE AND MUST BE ORIENTED TO MAXIMIZE VISIBILITY FOR ONCOMING VEHICLES.